ECS Configuration Change Request

1. Originator	2. Log Date:	3. CCR #:	4. Rev:	5. Tel:	6. Rm #:	7. Dept.
Keith Bryant	1/8/02	02-0011	—	301-925-1126	3029	SE/HW

8. CCR Title: Move 9GB disk to p0mss21

9. Originator Signature/Date	10. Class	11. Type:	12. Need Date:
Pamela Lee /s/ 1/8/02	II	CCR	

13. Office Manager Signature/Date	14. Category of Change:	15. Priority: (If "Emergency" fill in Block 27).
Carolyn Whitaker /s/ 1/8/02	Update ECS Baseline Doc.	Emergency

16. Documentation/Drawings Impacted: 920-TDP-01, 922-TDP-002, 922-TDP-009	17. Schedule Impact: DP COTS PSR	18. CI(s) Affected:DPL

19. Release Affected by this Change: N/A	20. Date due to Customer:	21. Estimated Cost: None - Under 100K

22. Source Reference: ☐NCR (attach)   ☐Action Item   ☐Tech Ref. ☐GSFC   ☒Other:
DataPool COTS PSR/DataPool PSR

23. Problem: (use additional Sheets if necessary)
There isn't enough room on the DataPool WebAccess host in the PVC (p0mss21) to hold the webglis map data that is required for the WebAccess spatial applet.

24. Proposed Solution: (use additional sheets if necessary)
Move one of the 9GB client_map disks from p0ins01 to p0mss21.

Note: This will need to be done at the DAACs as well. I'm assuming it's more efficient to ask for this in another CCR however as it is not an emergency that affects the DAACs currently and M&O is the sponsoring organization in that case, yes?

25. Alternate Solution: (use additional sheets if necessary)

26. Consequences if Change(s) are not approved: (use additional sheets if necessary)
DataPool COTS PSR and DataPool PSR will not happen and DataPool WebAccess will not get delivered.

27. Justification for Emergency (If Block 15 is "Emergency"):
The webglis portion of DataPool WebAccess must be tested soonest (tomorrow if at all possible) if the DataPool COTS PSR schedule and hence the DataPool PSR schedule are to be met.

28. Site(s) Affected: ☐EDF   ☒PVC ☐VATC ☐EDC   ☐ GSFC ☐LaRC ☐NSIDC ☐SMC ☐AK ☐JPL
☐EOC ☐ IDG Test Cell ☐Other

29. Board Comments:	30. Work Assigned To:	31. CCR Closed Date:

32. EDF/SCDV CCB Chair (Sign/Date): Otai Harley /s/ 1/9/02 Byron V. Peters /s/ 1/9/02	Disposition: <mark>Approved</mark> App/Com. Disapproved Withdraw Fwd/ESDIS ERB
33. M&O CCB Chair (Sign/Date):	Disposition: Approved App/Com. Disapproved Withdraw Fwd/ESDIS ERB Fwd/ECS
34. ECS CCB Chair (Sign/Date):	Disposition: Approved App/Com. Disapproved Withdraw Fwd/ESDIS ERB Fwd/ESDIS